

# Zehnder Roda Electric

## Product description


**zehnder**



Roda vertical version (ROEV) with control unit at the left side.



ROEVD



ROEHD

Electric Zehnder Roda radiators are efficient decorative radiators, available as horizontal or vertical, perfect for all living areas, and is also available made-to-measure.


- Flat tubes 70 x 11 mm, clearance between 4 mm, round manifold tubes Ø 38 mm
- Standard version primed and painted in RAL 9016
- Fixing: Delivered ready to install with wall brackets in colour of radiator.

### Electric operation

- Integrated digital control on the top (model ROEHD, ROEVD) or on the left (model ROEV)
- Electronic thermostat
- 5 operating modes
- Timer function
- Radiator filled with heat transfer liquid
- Without plug, appliance class II
- Pilot cable integrated
- Protection class IP44
- Supply voltage: 230 V




## Overview of models




Horizontal double panel version with control unit on the top

Model	H mm	L mm	Electric rating Watt	M kg
<b>ROEHD040-080/LF</b>	444	800	750	21,5
<b>ROEHD040-110/LF</b>	444	1100	1000	28,3
<b>ROEHD040-150/LF</b>	444	1500	1500	37,7
<b>ROEHD060-080/LF</b>	592	800	1000	28,7
<b>ROEHD060-110/LF</b>	592	1100	1250	38,5
<b>ROEHD060-130/LF</b>	592	1300	1500	44,8
<b>ROEHD060-150/LF</b>	592	1500	2000	50,4



Vertical double panel version with control unit on the top

Model	H mm	L mm	Electric rating Watt	M kg
<b>ROEVD050-060/LF</b>	510	609	500	24
<b>ROEVD050-090/LF</b>	510	905	750	34
<b>ROEVD050-120/LF</b>	510	1201	1000	45
<b>ROEVD050-150/LF</b>	510	1497	1250	56
<b>ROEVD070-060/LF</b>	710	609	750	29
<b>ROEVD070-080/LF</b>	710	831	1000	39
<b>ROEVD070-100/LF</b>	710	979	1250	46
<b>ROEVD070-120/LF</b>	710	1201	1500	56
<b>ROEVD070-140/LF</b>	710	1423	1750	66




Vertical single panel version with control unit on the left side


Model	H mm	L mm	Electric rating Watt	M kg
<b>ROEV150-040/LF</b>	1517	375	750	24
<b>ROEV180-045/LF</b>	1817	449	1000	32
<b>ROEV180-060/LF</b>	1817	597	1500	40
<b>ROEV200-030/LF</b>	2017	301	750	26
<b>ROEV200-040/LF</b>	2017	375	1000	31
<b>ROEV200-050/LF</b>	2017	523	1250	40
<b>ROEV200-060/LF</b>	2017	597	1500	44
<b>ROEV200-075/LF</b>	2017	745	2000	53
<b>ROEV220-030/LF</b>	2217	301	1000	29
<b>ROEV220-045/LF</b>	2217	449	1250	39
<b>ROEV220-050/LF</b>	2217	523	1500	44
<b>ROEV220-070/LF</b>	2217	671	2000	53

## Technology


ROEHD



ROEVD




ROEV



ROEV:

Easy to install by hinged mounting brackets



- L = Length
- H = Height
- B = Control panel

Dimensions in mm